


TERRACOTTA RAINSCREEN SYSTEMS







NBK Architectural Terracotta Products

SYSTEM OVERVIEW:

- · Proprietary facade solution providing an engineered ventilated rainscreen facade.
- · Terracotta clay tiles manufactured for pre-cast applications.
- · Ideal for both new construction and re-clad projects.
- · Full CAD and project management support available.
- · Non-progressive installation
- · Sizes, shapes, and finishes to meet design requirements.
- · Wide range of surface textures from fine-combed to deep profiled shapes.
- · Extensive range of tile colors and glazes provided in both standard and custom colors.

terrART® Large

Height (max): 2 ft (600 mm) Length (max): 6 ft (1824 mm) Thickness (max): 1.5 in (40 mm)

Weight: 12 lbs / sq. ft

Max. Size in Combination Height / Length: 2 ft / 5 ft (600 mm / 1524 mm)

terrART® Mid

Height (max): 1 ft (600 mm) Length (max): 4 ft (1200 mm) Thickness (max): 1.25 in (30 mm)

Weight: 10.5 lbs / sq. ft

Max. Size in Combination Height / Length: 1 ft / 4 ft (300 mm / 1200 mm)

terrART® Solid

Height (max): 2 ft (600mm) Length (max): 4 ft (1200 mm) Thickness (max): 1.25 in (15-30 mm)

Weight: 13.5 lbs / sq. ft

Max. Size in Combination Height / Length: 2 ft / 4 ft (600 mm / 1200 mm)

terrART® Baguette

Cross-Section (max): 2.375 in x 2.375 in (60 mm x 60 mm)

Length (max): 4 ft 9 in (1460 mm)

Weight: 2.6 lbs / sq. ft

terrART[®] Shingle also available.

















Terracotta Aluminum Glass Specialty Solutions